CROSSLANDS HEALTH CARE CTR SANDY UT 84070 STATE'S REGION CODE: 001

PROVIDER #: 465110 FACILITY BEDS TYPE ACTION: RECERTIFICATION
PHONE NUMBER: (801) 571-7600 TOTAL: 120
PARTICIPATION DATE: 04/09/1987 CERTIFIED: 120 TYPE OWNERSHIP: FOR PROFIT - CORPORATION

COMPLIANCE STATUS: FACILITY MEETS REQUIREMENTS BASED ON AN ACCEPTABLE PLAN OF CORRECTION

RESIDENT CENSUS		LTC ADMISSION/SUSPENSION DATES	
TOTAL: MEDICARE: MEDICAID: OTHER:	119 27	ADMISSION SUSPENDED: SUSPENSION RESCINDED:	18 18/19 19 ICF/MR 120
CURRENT SURVEY REVISIT DATES - 06/25/2002			
SURVEY CODE SUI	IOR 2 S/S PRIOR 1 S/S RVEY CODE SURVEY CODE /1999 03/2001	CURRENT S/S PLAN/DATE SURVEY CODE OF CORRECT 04/25/2002	PROGRAM REQUIREMENTS
X E X E X G X G X E X D X	E X E X E X E X E X E X E X E X E X E X	Ri R	EQ F0240-FACILITY PROMOTES/ENHANCES QUALITY OF LIFE EQ F0241-DIGNITY EQ F0246-ACCOMMODATION OF NEEDS & PREFERENCES EQ F0272-COMPREHENSIVE ASSESSMENTS EQ F0281-SERVICES PROVIDED MEET PROFESSIONAL STANDARDS EQ F0287-RESIDENT ASSESSMENT AUTOMATED DATA PROCESSING EQ F0309-PROVIDE NECESS CARE FOR HIGHEST PRAC WELL BEING EQ F0311-RESIDENT GIVEN TREATMENT TO IMPROVE/MAINTAIN ADLS EQ F0312-ADL CARE PROVIDED FOR DEPENDENT RESIDENTS EQ F0314-PROPER TREATMENT TO PREVENT/HEAL PRESSURE SORES EQ F0323-FACILITY IS FREE OF ACCIDENT HAZARDS EQ F0324-SUPERVISION/DEVICES TO PREVENT ACCIDENTS EQ F0324-SUPERVISION/DEVICES TO PREVENT ACCIDENTS EQ F0327-FACILITY PROVIDES SUFFICIENT FLUID INTAKE EQ F0329-DRUG REGIMEN IS FREE FROM UNNECESSARY DRUGS EQ F0364-FOOD PROPERLY PREPARED, PALATABLE, ETC. EQ F0371-STORE/PREPARE/DISTRIB FOOD UNDER SANITARY CONDS EQ F0387-FREQUENCY & TIMELINESS OF PHYSICIAN VISIT EQ F0441-FACILITY ESTABLISHES INFECTION CONTROL PROG EQ F0514-CLINICAL RECORDS MEET PROFESSIONAL STANDARDS
PRIOR 3 PRIOR 2 SURVEY SURVEY	85 NEW 85 NEW PRIOR 1 CURRENT P. SURVEY O2/2001 04/30/2002 X C 0 X C 0	K0018 6/25/2002 K0025- 6/25/2002 K0038- K0052-	EFICIENCIES - BLDG NO. 01 -CORRIDOR DOORS -SMOKE PARTITION CONSTRUCTION -EXIT ACCESS -TESTING OF FIRE ALARM -MEDICAL GAS SYSTEM -OTHER
TYPE OF DEFICIENCY CONDITION REQUIREMENT HEALTH TOTAL LIFE SAFETY CODE LIFE SAFETY CODE	S' -	URRENT PRIOR 1 URVEY SURVEY 0 0 0 5 4 5 4 3 1 8 5	PRIOR 2 PRIOR 3 SURVEY SURVEY 0 0 0 8 12 8 12 2 2 2 10 14

COMPLAINT SURVEY INFORMATION

SURVEY DATE STATUS

06/12/2001 UNSUBSTANTIATED 10/25/2001 SUBSTANTIATED 07/11/2002 SUBSTANTIATED 09/19/2002 UNSUBSTANTIATED

FMS SURVEY INFORMATION

* NO FMS SURVEYS FOR THIS FACILITY

C=DATE OF CORRECTION N=NO DATE GIVEN P=PLAN OF CORRECTION R=REFUSED TO CORRECT W=WAIVED F=FSES X=DEFICIENT

COP = CONDITION REQ = REQUIREMENT